Homeless Admissions to Substance Abuse Treatment in Kentucky: CDS, 2000-2007.

By Hoa Van Le

Division of Administration and Financial Management (AFM) Kentucky Department for Mental Health and Mental Retardation Services (KDMHMRS)


In Brief

- Homeless admissions to treatment of substance abuse in Kentucky had slightly decreased from 6% in 2000 to 4% in 2007.
- Alcohol was the primary substance of abuse for a majority of homeless admissions (65% in 2000; 43% in 2007), followed by cocaine/crack (22% in 2000; 25% in 2007) and opiates (5% in 2000; 12% in 2007).
- Homeless admissions were older, on average, than admissions of clients who were not homeless (36.8 vs. 32.3 years old in 2000; 36.3 vs. 32.3 years old in 2007).
- Homeless admissions were less likely to be Whites, more likely to be Blacks and more likely to be other race/ethnicity.
- Homeless admissions were more likely to have been referred to treatment by themselves (self/individual) than admissions who were not homeless (51% vs. 22% in 2000; 54% vs. 25% in 2006).
- Homeless admissions were more likely to report to have daily use of substance than admissions of clients who were not homeless (69% vs. 22% in 2000; 26% vs. 21% in 2006).
- Homeless admissions were more likely to have an extensive history of treatments (11% vs. 4% in 2000; 10% vs. 3% in 2007) than those who were not homeless.


This report examines the characteristics of treatment admissions to primary substances abuse of homeless clients, as compared with those of treatment admissions of primary substances of abuse of clients who were not homeless in Kentucky, based on data from the Client Data Set (CDS) for fiscal years from 2000 to 2007¹.


Primary Substance of abuse²

Homeless admissions to primary substances of abuse treatment were likely to slightly decline from 6% in 2000 to 4% in 2007 (Fig. 1 and Table 1A).



Alcohol was the most frequently reported primary substance of abuse for both homeless admissions and admissions of clients who were not homeless. Homeless admissions for alcohol, however, were more likely than those who were not homeless (65% vs. 61% in 2000; 43% vs. 42% in 2007). Homeless admissions were more highly likely than those who were not homeless to report cocaine/crack (22% vs. 11% in 2000; 25% vs. 11% in 2007) and less likely to report marijuana (6% vs. 19% in 2000; 9% vs. 20% in 2007) or opiates (4% vs. 5% in 2000; 12% vs. 17% in 2007) (Fig. 2A-2B and Table 1B in Appendix).







Demographic Characteristics

Homeless admissions were more likely to be male (75% vs. 73% in 2000; 69% vs. 66% in 2006) than those who were not homeless; but, in 2007 data trends indicated a reverse direction that homeless admissions were less


likely to be male than those who were not homeless (58% vs. 65%) (Table 2.1in Appendix).


Homeless admissions were more likely to be veterans than those who were not homeless (13% vs. 6% in 2000; 8% vs. 4% in 2007) (Table 3.1 in Appendix). Homeless admissions were less likely to be Whites (66% vs. 87% in 2000; 76% vs. 90% in 2007), and correspondingly more likely to be Blacks (27% vs. 11% in 2000; 23% vs. 9% in 2007) or other race/ethnicity (7% vs. 2% in 2000; 2% vs. 1% in 2006) (Fig. 3C, 3D and Table 2.1 in Appendix).






Homeless admissions seemed to be older than admissions of clients who were not homeless. The average age of homeless admissions was likely to be older than those admissions of clients who were not homeless (36.8 vs. 32.3 years old in 2000; 36.3 vs. 32.3 years old in 2007). Homeless admissions at age 35 or older were more likely than those admissions of clients who were not homeless at the same age group (59% vs. 41% in 2000; 54% vs. 38% in 2007) (Fig. 4A, 4B and Table 2.2 in Appendix).






Usage of Substances


Homeless admissions were more highly likely to report to use daily the substance (69% vs. 22% in 2000; 36% vs. 21% in 2007), but less likely to report not to use the substance in the past month (14% vs. 39% in 2000; 31% vs. 45% in 2007) than admissions that were not homeless (Fig. 5A, 5B and Table 3.1 in Appendix).






Prior treatment Episodes

Homeless admissions were less likely to receive the first time treatment (38% vs. 54% in 2000; 45% vs. 59% in 2007) and more likely to have an extensive history of five or more previous treatments (11% vs. 4% in 2000; 10% vs. 3% in 2007) than those who were not homeless (Fig. 6A, 6B and Table 3.1 in Appendix).





Primary Referral Source

Homeless admissions were more likely than those who were not homeless to have been referred to treatment through self/individuals (51% vs. 22% in 2000; 35% vs. 26% in 2007), less likely to have been referred by criminal justice system (13% vs. 57% in 2000; 26% vs. 52% in 2007) and more likely to be referred by substance abuse care centers or general health care providers (18% vs. 10% in 2000; 9% vs. 8% in 2007) (Table 3.2 in Appendix).

Notes:

¹This report is based on data selected from the Kentucky Client Data Set (CDS) from 2001-2007, collected from 14 Community Mental Health Centers in Kentucky and maintained by the University of Kentucky's Research and Data Management Center (UK-RDMC).

²The Primary alcohol abuse is the main substances reported at the time of admission. All other substances of abuse include marijuana, opiates, cocaine/crack, stimulants, and other drugs.

Appendi x: Table 1A

Homeless/Not Homeless Admissions for Primary Substances of Abuse in Kentucky CDS: Fiscal Years 2000-2007*. Number and percent distribution.

Homel ess/					scal Yea				
Not Homeless Admissions**	2000	2000 2001		2003 2004					
HOMELESS									
Number	867	946	873	950	712	866	1, 062	667	
Percent	5. 9	5. 4	4. 8	5. 1	3. 8	4. 9	5. 8	4. 2	
NOT HOMELESS									
Number	13, 859	16, 702	17, 150	17, 541	14, 848	15, 061	17, 305	15, 136	
Percent	94. 1	94. 6	95. 2	94. 9	78. 9	86. 0	94. 2	95. 7	
TOTALS	14, 726	17, 648	18, 023	18, 491	18, 824	17, 507	18, 375	15, 813	

Total admissions did not include unknown/not specified/none substances of abuse.

^{*}SOURCE: The Kentucky Client Data Set, Fiscal years 2000-2007.

^{**}Primary substances of abuse in this report include alcohol, opiates (heroine/morphine, non-prescription methadone, and other opiates and synthetics), cocaine (smoked cocaine and non-smoked cocaine), marijuana/hasish (including THC and any other cannabis sativa preparations), stimulants (including methamphetamine, amphetataminesand other stimulants, and other drugs (including phencyclidine, hallucinogens, benzodiazepines, traquilizers, barbiturates, sedatives/hynotics, inhalants, over-the-counter and other drugs.

Table 1B 2

 $Homeless/Not\ Homeless\ Admissions\ to\ Treatment,\ by\ Primary\ Substances\ of\ Abuse\ in\ Kentucky\ CDS:\ Fiscal\ Years\ 2000-2007^*.\ Number\ and\ percent\ distribution.$

411	
All Homeless/Not Homeless admis- Cocaine/ Mari- Stimu-	
Admissions** sions Alcohol Opiates Crack juana lants	0ther
2000	
Homel ess 867 65. 2 4. 6 22. 3 6. 0 0. 6	0. 6
Not homeless 13,859 60.8 5.3 10.5 18.8 1.6	1. 6
Total admissions 14,726 61.1 5.2 11.2 18.1 1.5	1. 5
2001	
Homel ess 946 63. 4 7. 7 20. 2 5. 1 1. 5	1. 5
Not homeless 16,702 56.8 8.0 9.8 19.6 2.2	2. 2
Total admissions 17,648 57.2 7.9 10.4 18.9 2.1	2. 1
2002	
Homel ess 873 63. 5 7. 4 20. 3 5. 6 1. 8	1.8
Not homeless 17,150 53.4 9.3 9.3 21.0 2.9	2. 9
Total admissions 18,023 53.9 9.2 9.8 20.2 2.8	2. 8
2003	1 0
Homel ess 950 55.1 8.9 25.7 6.7 1.6	1.6
Not homeless 17,541 50.1 10.6 11.0 20.7 3.8	3. 8
Total admissions 18,491 50.3 10.5 11.8 20.0 3.6	3. 6
2004	
Homel ess 712 49.9 8.4 29.6 8.4 2.7	2. 7
Not homeless 14,848 49.1 9.9 13.7 19.7 4.8	4. 8
Total admissions 18,824 48.2 11.8 12.9 19.0 4.5	4. 5
2005	
Homeless 866 44.7 9.4 33.4 7.7 3.7	3. 7
Not homeless 15,061 45.9 11.0 14.0 20.5 5.6	5. <i>7</i>
Total admissions 17,507 45.0 12.3 14.1 19.7 5.2	5. 2
17, 007 10. 0 12. 0 11. 1 10. 7 0. 2	0. 2
2006	
Homel ess 1,062 40.1 10.8 30.8 9.6 7.8	7. 8
Not homeless 17,305 42.7 13.7 13.1 20.6 5.9	5. 9
Total admissions 18,375 42.6 13.6 14.1 20.0 6.0	6. 0
2007	
Homeless 667 43.0 12.0 24.7 9.3 9.4	9. 4
Not homeless 15,136 42.1 16.5 11.4 19.6 5.6	5. 6
Total admissions 15,813 42.1 16.3 11.9 19.2 5.8	5. 8

^{*}SOURCE: The Kentucky CDS, FY 2000-2007.

^{**}Total admissions did not include unknown/unspecified/none primary substances of abuse.

Tabl e 2. 1 3

Homeless/Not Homeless Admissions to Treatment of Primary Substances of Abuse, by Sex, Race/Ethnicity and Veteran Status in Kentucky CDS: Fiscal Years $2000-2007^*$. Number and Percent.

Admissions of Sex, Race and				Fi sca				
Veteran Status**	2000	2001	2002	2003	2004	2005	2006	2007
Homel ess								
Mal e	75. 4	79. 6	80. 3	78. 2	73. 5	70. 9	69. 0	57. 7
Femal e	24. 6	20. 4	19. 7	21. 8	26. 5	29. 1	31. 0	42. 3
Not homeless								
Mal e	73. 0	73. 3	71.5	69. 9	68. 2	67. 3	65. 6	65. 0
Femal e	27. 0	26. 7	28. 5	30. 1	31. 8	32. 7	34. 4	35. 0
Homel ess								
White	66. 1	70.8	68. 4	72. 3	69. 0	71. 7	74. 7	75. 6
Bl ack	27. 1	23. 3	24. 7	24. 0	29. 4	26. 3	23. 5	23. 0
0ther	6. 8	6. 0	6. 9	3. 7	1. 7	2. 0	1. 7	1. 4
Not homeless								
White	87. 4	86. 5	87. 5	86. 4	83. 8	84. 5	87. 5	90. 2
Bl ack	11. 2	12. 1	10.8	11.6	14. 1	13. 7	11. 2	8. 6
0ther	1. 5	1. 3	1. 7	2. 0	2. 0	1. 8	1. 2	1. 2
Homel ess								
Veteran	12. 8	12. 1	11. 9	10. 9	12. 9	12. 4	10. 5	7.8
Not veteran	87. 2	87. 9	88. 1	89. 1	87. 1	87. 6	89. 5	92. 2
Not homeless								
Veteran	6. 2	5. 0	5. 9	5. 3	5. 9	5.8	4.8	4. 1
Not veteran	93. 8	95. 0	94. 1	94. 7	94. 1	94. 2	95. 2	95. 9

^{*}SOURCE: Kentucky CDS Fiscal Years 2000-2007.

^{**}Total admissions did not include unknown sex, race/ethnicity or veteran status.

Tabl e 2. 2 4

Homeless/Not Homeless Admissions to Treatment of Primary Substances of Abuse, by Age Group at Admission in Kentucky CDS: Fiscal Years 2000-2007*.

Number and Percent Distribution and Average Age at Admission.

Admissions of				Fi sca	l Year			
Age Groups and Average Age**	2000		2002	2003	2004	2005	2006	2007
HOMELESS ADMI SSI ONS								
Under 18	0. 7	0. 5	0. 5	0. 6	0. 1	0. 3	0. 2	0. 5
18-24	10. 9	11. 4	11. 8	12. 7	13. 3	11. 5	14. 3	14. 9
25-34	29. 3	25. 9	26. 5	25. 9	27. 4	30. 1	27. 5	30. 8
35+	59. 1	62. 2	61. 2	60. 7	59. 1	58. 0	58. 0	53. 8
Average age at admission (in years)	36. 8	37. 6	37. 4	37. 5	36. 6	36. 9	36. 6	36. 3
NOT HOMELESS ADMI SSI ONS								
Under 18	6. 8	7. 0	6. 5	5. 2	5. 1	5. 6	5. 6	5. 1
18- 24	21. 3	22. 7	23. 9	24. 2	23. 0	23. 0	23. 2	23. 2
25- 34	30. 6	29. 6	29. 7	30. 4	30. 7	30. 9	32. 2	33. 7
35+	41. 3	40. 7	39. 9	40. 3	41. 2	40. 5	39. 0	37. 9
Average age at admission (in years)	32. 3	32. 1	32. 0	32. 3	32. 6	32. 5	32. 3	32. 3

^{*}SOURCE: The Kentucky CDS, Fiscal Years 2000-2007.

^{**}Total admissions did not include unknown/invalid age at admissions.

Tabl e 3. 1 5

Homeless/Not Homeless Admissions to Treatment of Primary Substances of Abuse, by Number of Prior Treatment Episodes and Frequency of First Use of Substance in Kentucky CDS: Fiscal Years 2000-2007*. Number and Percent Distribution.

Prior Treatments				Fi sca	l Year			
and Frequency of								
First Use**	2000	2001	2002	2003	2004	2005	2006	2007
Homel ess								
None	38. 2	36. 1	31. 6	29. 6	28. 3	27. 9	34. 0	45. 2
1-2 times	36. 6	36. 1	41. 5	41. 5	43. 7	41.7	39. 9	36. 2
3-4 times	14. 4	15. 5	13. 8	12. 9	13. 8	12. 1	13. 0	8. 6
5 or more	10. 8	12. 2	13. 2	16. 0	14. 1	18. 3	13. 2	10. 1
Not homeless								
None	53. 8	53. 0	56. 1	59. 0	56. 4	57. 7	61. 1	59. 0
1-2 times	35. 7	37. 1	34. 4	31. 4	32. 5	31. 7	30. 0	32. 9
3-4 times	7. 0	6. 7	6. 4	6. 1	6. 9	6. 4	5. 6	5. 0
5 or more	3. 5	3. 3	3. 1	3. 4	4. 2	4. 1	3. 4	3. 1
Homel ess								
No use in pst mth	14. 0	12. 5	15. 9	17. 4	19. 0	19. 0	26. 0	30. 7
1-3 in pst mth	8. 0	8. 6	8. 8	8.8	9. 9	9. 4	7.8	11. 4
1-2 in pst week	3. 4	5. 3	4. 3	5. 0	4. 8	4.6	5. 5	6. 8
3-6 in pst week	5. 6	4. 4	7. 4	7. 8	13. 8	13. 5	10. 0	15. 2
Daily	69. 0	69. 2	63. 6	61. 0	52. 5	53. 4	50. 7	36. 0
Not homeless								
No use in pst mth	39. 4	38. 8	41. 4	40. 6	39. 3	40. 1	43. 2	45. 1
1-3 in pst mth	19. 1	18. 3	17. 9	20. 1	18. 4	18. 7	18. 1	17. 2
1-2 in pst week	11. 4	10. 9	10. 4	9. 6	10. 4	10. 7	9. 7	8. 9
•	7. 8	9. 0	8. 2	8. 2	9. 7	10. 1	8. 0	8. 0
Daily	7. 6 22. 4	22. 9	22. 1	21.6	22. 1	21. 1	21. 0	20. 9
Dai i y	~~. ¬	~~. J	~~. I	۵1. 0	~~. I	≈1.1	۵1. U	۵. J

^{*}SOURCE: The Kentucky CDS, Fiscal Years 2000-2007.

^{**}Total admissions did not include unknown prior treatment episodes or frequency of first use of substance.

Tabl e 3. 2

Homeless/Not Homeless Admissions to Treatment of Primary Substances of Abuse, by Primary Referral Source in Kentucky CDS: Fiscal Years 2000-2007*. Number and Percent Distribution.

-	Primary Referral				Fi scal	Year			
	Sources**	2000	2001	2002	2003	2004	2005	2006	2007
	HOMELESS ADMI SSI ONS								
	Sel f/I ndi vi dual	51. 4	55. 6	53. 0	55. 4	47. 3	45. 4	44. 7	34. 8
	Criminal Justice, DUI/DWI	13. 2	10. 0	14. 0	13. 5	17. 2	17. 2	22. 1	25. 9
	Alcohol/Drug Ctrs/ Hlth Care Providers	17. 9	16. 3	13. 3	15. 5	13. 5	15. 5	13. 4	9. 3
	Other	17. 5	18. 1	19. 6	15. 6	22. 0	21. 9	19. 8	30. 0
	HOMELESS ADMI SSI ONS								
	Sel f/I ndi vi dual	21. 5	22. 9	23. 1	20. 9	24. 8	24. 1	25. 9	26. 0
	Criminal Justice, DUI/DWI	56. 8	56. 7	58. 2	61. 4	53. 8	53. 5	51. 5	52. 0
	Alcohol/Drug Ctrs/ Hlth Care Providers	10. 0	8. 8	8. 4	7. 9	9. 4	9. 5	8. 8	8. 0
	0ther	11. 7	11. 6	10. 4	9. 8	12. 0	12. 9	13. 9	14. 0

^{*}SOURCE: The Kentucky CDS, Fiscal Years 2000-2007.

^{**}Total admissions did not include unknown primary referral sources